

TIP865-SW-65

Windows 2000/XP Device Driver

4 Channel Serial IP

Version 1.0.x

User Manual

Issue 1.0.2

June 2008

TEWS TECHNOLOGIES GmbH

Am Bahnhof 7
25469 Halstenbek, Germany
www.tews.com

Phone: +49 (0) 4101 4058 0
Fax: +49 (0) 4101 4058 19
e-mail: info@tews.com

TEWS TECHNOLOGIES LLC

9190 Double Diamond Parkway,
Suite 127, Reno, NV 89521, USA
www.tews.com

Phone: +1 (775) 850 5830
Fax: +1 (775) 201 0347
e-mail: usasales@tews.com

TIP865-SW-65

Windows 2000/XP Device Driver

4 Channel Serial IP

Supported Modules:
TIP865

This document contains information, which is proprietary to TEWS TECHNOLOGIES GmbH. Any reproduction without written permission is forbidden.

TEWS TECHNOLOGIES GmbH has made any effort to ensure that this manual is accurate and complete. However TEWS TECHNOLOGIES GmbH reserves the right to change the product described in this document at any time without notice.

TEWS TECHNOLOGIES GmbH is not liable for any damage arising out of the application or use of the device described herein.

©2005-2008 by TEWS TECHNOLOGIES GmbH

Issue	Description	Date
1.0.0	First Issue	June 29, 2005
1.0.1	File list changed, New address TEWS LLC	May 29, 2007
1.0.2	Files moved to subdirectory, Carrier Driver description added	June 23, 2008

Table of Contents

1	INTRODUCTION.....	4
	1.1 Device Driver	4
	1.2 IPAC Carrier Driver	5
2	INSTALLATION.....	6
	2.1 Software Installation	6
	2.1.1 Windows 2000.....	6
	2.1.2 Windows XP.....	7
	2.1.3 Confirming Installation.....	8
3	TIP865 DEVICE DRIVER PROGRAMMING.....	9

1 Introduction

1.1 Device Driver

The TIP865-SW-65 Windows WDM (Windows Driver Model) device driver is a kernel mode driver which allows the operation of the TIP865 on an Intel or Intel-compatible x86 Windows 2000, Windows XP and Windows XP embedded operating systems.

The standard file input and output (I/O) functions (CreateFile, CloseHandle, ReadFile, ReadFileEx, WriteFile, and WriteFileEx) provide the basic interface for opening and closing a communications resource handle and for performing read and write operations.

The TIP865 device driver is full compatible to the standard Windows WDM serial device driver (*serial.sys*).

Because the TIP865 device driver is stacked on the TEWS TECHNOLOGIES IPAC carrier driver, it's necessary to install also the appropriate IPAC carrier driver. Please refer to the IPAC carrier driver user manual for further information.

The TIP865-SW-65 device driver supports the modules listed below:

TIP865	4 Channel serial interface	(Industry Pack)
--------	----------------------------	-----------------

To get more information about the features and use of TIP865 devices it is recommended to read the manuals listed below.

- TIP865 User manual
- TIP865 Engineering Manual
- Controller Manuals of the ZILOG Z85C30 SCC

1.2 IPAC Carrier Driver

IndustryPack (IPAC) carrier boards have different implementations of the system to IndustryPack bus bridge logic, different implementations of interrupt and error handling and so on. Also the different byte ordering (big-endian versus little-endian) of CPU boards will cause problems on accessing the IndustryPack I/O and memory spaces.

To simplify the implementation of IPAC device drivers which work with any supported carrier board, TEWS TECHNOLOGIES has designed a so called Carrier Driver that hides all differences of different carrier boards under a well defined interface.

The TEWS TECHNOLOGIES IPAC Carrier Driver CARRIER-SW-65 is part of this TIP865-SW-65 distribution. It is located in directory CARRIER-SW-65 on the corresponding distribution media.

This IPAC Device Driver requires a properly installed IPAC Carrier Driver. Due to the design of the Carrier Driver, it is sufficient to install the IPAC Carrier Driver once, even if multiple IPAC Device Drivers are used.

Please refer to the CARRIER-SW-65 User Manual for a detailed description how to install and setup the CARRIER-SW-65 device driver, and for a description of the TEWS TECHNOLOGIES IPAC Carrier Driver concept.

2 Installation

Following files are located in directory TIP865-SW-65 on the distribution media:

tip865Port.sys	Device driver binary of TIP865 Port Driver
tip865Port.inf	Installation script for TIP865 Port Driver
tip865Bus.sys	Device driver binary of TIP865 Bus Driver
tip865Bus.inf	Installation script for TIP865 Bus Driver
TIP865-SW-65-1.0.2.pdf	This document
ChangeLog.txt	Release history
Release.txt	Release Information

2.1 Software Installation

The TIP865 Device Driver software assumes a correctly installed and active IPAC carrier driver.

Please ensure that the IPAC carrier driver is properly installed first.

2.1.1 Windows 2000

This section describes how to install the TIP865 Device Driver on a Windows 2000 operating system.

After installing the TIP865 card(s) and boot-up your system, Windows 2000 setup will show a "**New hardware found**" dialog box.

The "**Upgrade Device Driver Wizard**" dialog box will appear on your screen.
Click "**Next**" button to continue.

In the following dialog box, choose "**Search for a suitable driver for my device**".
Click "**Next**" button to continue.

Insert the TIP865 driver media; and select "**Disk Drive**" and/or "**CD-ROM**" in the dialog box.
Click "**Next**" button to continue.

Now the driver wizard should find a suitable device driver on the media.
Click "**Next**" button to continue.

A box will appear announcing, that the digital signature could not be found.
Click "**OK**" to continue the driver installation.

Completing upgrade the device driver and click "**Finish**" to take all the changes effect.

Now the driver for the 4 TIP865 Ports will be requested.

...

...

A "**New hardware found**" dialog box will appear again.

The "**Upgrade Device Driver Wizard**" dialog box will appear on your screen.
Click "**Next**" button to continue.

In the following dialog box, choose "**Search for a suitable driver for my device**".
Click "**Next**" button to continue.

Insert the TIP865 driver media; and select "**Disk Drive**" and/or "**CD-ROM**" in the dialog box.
Click "**Next**" button to continue.

Now the driver wizard should find a suitable device driver on the media.
Click "**Next**" button to continue.

Complete the device driver installation and click "**Finish**" to take all the changes effect.

Now the system will install the driver for the other TIP865 devices automatically. (If not, please follow the instructions above again.

Now copy all needed files to the desired target directories.

After successful installation the TIP865 device driver will start immediately and the devices (TIP865_1, TIP865_2, ...) for all recognized TIP865 Ports will be created.

2.1.2 Windows XP

This section describes how to install the TIP865 Device Driver on a Windows XP operating system.

After installing the TIP865 card(s) and boot-up your system, Windows XP setup will show the search for new hardware window. (TIP865)

Insert the TIP865 driver media.
Choose "**Automatic Software Install**" and click "**Next**" button to continue.

A window will announce that the Windows-Logo test has failed.
Click "**continue install**" button to continue.

A window will announce that the driver has been installed.
Click "**Finish**" to take all the changes effect.

Now Windows XP setup will show the search for new hardware window. (TIP865 Port n)
Insert the TIP865 driver media.

Choose "**Automatic Software Install**" and click "**Next**" button to continue.

A window will announce that the Windows-Logo test has failed.
Click "**continue install**" button to continue.

A window will announce that the driver has been installed.
Click "**Finish**" to take all the changes effect.

Continue with the last 3 steps until the all TIP865 Ports are installed.

Now copy all needed files to the desired target directories.

After successful installation the TIP865 device driver will start immediately and the devices (TIP865_1, TIP865_2, ...) for all recognized TIP865 Ports will be created.

2.1.3 Confirming Installation

To confirm that the driver has been properly loaded in Windows 2000/XP, perform the following steps:

From Windows 2000/XP, open the "**Control Panel**" from "**My Computer**".

Click the "**System**" icon and choose the "**Hardware**" tab, and then click the "**Device Manager**" button.

Click the "+" in front of "**MultiportsSerial**".

The driver "**TEWS TECHNOLOGIES - TIP865 Bus (Bus Driver)**" should appear.

Click the "+" in front of "**Ports**".

The driver "**TEWS TECHNOLOGIES - TIP865 Port (serial port)**" (for each of the 4 Ports) should appear.

3 TIP865 Device Driver Programming

The TIP865 device driver is full compatible to the standard Windows serial device driver (serial.sys) and therefore programming of the TIP865 driver is the same as the standard Windows serial driver.

The standard file input and output (I/O) functions (CreateFile, CloseHandle, ReadFile, ReadFileEx, WriteFile, and WriteFileEx) can be used for opening and closing a communications resource handle and for performing read and write operations.

The Microsoft® Win32® application programming interface (API) also includes a set of functions that provide special communication services like reading and setting communication parameter, transmitting immediate characters, setting timeouts and so on.

All of these standard Win32 communication functions are described in detail in the Windows Platform SDK Documentation (Windows base services / Communication).

For details refer to the Win32 Programmers Reference of your used programming tools (C++, Visual Basic etc.)

The windows name of the first port is *Device\TIP865Port0* of the second port *Device\TIP865Port1* and so on.

The DOS device name for TIP865 devices is COM1, COM2, COM3 and so on. If there other serial devices in the system the prefix starts with a higher number (see windows name).

The mapping between windows device names and DOS device names for TIP865 devices can be retrieved from the Registry.

HKEY_LOCAL_MACHINE\Hardware\DEVICEMAP\SERIALCOMM